

MIRA WHITE

Version

Island 40 cm - White - 800 m³/h

Collection

Design

EAN code

8034122342054



*The photograph is purely for information
It may not correspond to the selected version.*

FEATURES

Perimeter suction
Electronic control
Metallic grease filter, removable and washable
Charcoal filter included
Dimmable led lighting
Dynamic LED Light (2700K - 5600K)

Dynamic and dimmable Led light from 03.04.24

OPTIONAL ACCESSORIES

KACL.770#41F

Remote under-roof 1100 m³/h
Brushless

KACL.786#41F

Outdoor extractor fan 1000 m³/h

KACL.796#4AF


Outdoor extractor fan 1500 m³/h

KACL.797#4AF

Remote under-roof motor 1300 m³/h

KACL.798#41F

Remote under-roof motor 950 m³/h



TECHNICAL FEATURES

Installation type

Island

Dimensions

40 cm

Finishing

Painted white steel

Motor

800 m³/h

Type of control

Electronic control

Speed settings

4

Lighting

Led 4x1,2 W - 3200 K

Filter

Metallic filter "Base" - 274x274 mm

Charcoal filter

Round charcoal filter Ø170 mm - Type 6 (optional)

Minimum distance

Gas hob: 60 cm

Electric hob: 52 cm

PACKAGING:WEIGHTS AND VOLUMES

Gross weight

38 kg

Net weight

34 kg

Volumes

0.28 m³

Packaging size

Length

995 mm

Height

480 mm

Depth

595 mm

CONSUMPTION AND CONNECTION FEATURES

Maximum consumption

280 W

Voltage

220-240V

Frequency

50-60Hz

Plug type

Shuko

MOTOR TECHNICAL SHEET

Maximum capacity

590 m³/h

I.E.C. 61591

Maximum noise level

64 dB(A)re1pW

I.E.C.60704-2-13

Maximum pressure (Pa)

500 Pa

Max. motor power

203 W

ENERGY CLASS

B

MIRA WHITE

Version

Island 40 cm - White - 800
m³/h

Collection

Design


EAN code

8034122342054

MOTOR TECHNICAL SHEET

| Motor speed | 1 | 2 | 3 | 4 |
|--------------------------------------------------------|-----|-----|-----|-----|
| Noise level dB(A) _{re1pW-I.E.C.60704-2-13} | 45 | 50 | 55 | 64 |
| Capacity (m ³ /h) I.E.C.61591 | 230 | 300 | 380 | 590 |
| Maximum pressure (Pa) | 390 | 420 | 460 | 500 |
| Motor Power (W) | 134 | 156 | 180 | 203 |
| Air outlet | 150 | 150 | 150 | 150 |

CAPACITY / PRESSURE



MIRA WHITE

Version

Island 40 cm - White - 800 m3/h


Collection

Design

EAN code

8034122342054

ENERGY LABEL



| PF | | |
|------------|---------------------------------|-------------------|
| S | Falmec Spa | |
| M | Island 40 cm - White - 800 m3/h | |
| AEC | 58,1 | kWh/a |
| EEC | B | |
| FDE | 25,6 | |
| FDEC | B | |
| LE | 28,4 | |
| LEC | A | |
| GFE | 53,0 | |
| GFEC | F | |
| Qmin | 230,0 | m ³ /h |
| Qmax | 380,0 | m ³ /h |
| Qboost | 590,0 | m ³ /h |
| SPEmin | 45 | dBa |
| SPEmax | 55 | dBa |
| SPEboost | 64 | dBa |
| PO | - | W |
| PS | 0,48 | W |
| PI | | |
| F | 1,1 | |
| EEL | 63,8 | |
| Qbep | 287,0 | m ³ /h |
| Pbep | 415 | Pa |
| Qboost | 590,0 | m ³ /h |
| Wbep | 129,0 | W |
| WL | 8,60 | W |
| Emiddle | 245 | lux |
| Lwa-SPEmax | 55 | dBa |

PF_Product fiche according to 65/2014 S_Supplier name / M_Model identification / AEC_Annual Energy Consumption (AEC hood) / EEC_Energy Efficiency class / FDE_Fluid Dynamic Efficiency (FDE hood) / FDEC_Fluid Dynamic Efficiency class / LE_Lighting Efficiency (LE hood) / LEC_Lighting Efficiency class / GFE_Grease Filtering Efficiency / GFEC_Grease Filtering Efficiency class / Qmin_Air flow (in m³/h) at min speed in normal use / Qmax_Air flow (in m³/h) at max speed in normal use / Qboost_Air flow (in m³/h) at intensive or boost setting (max air-flow) / SPEmin_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO_Power consumption in off mode (Po) / Ps_Power consumption in stand by mode (Ps). **PI_Additional information according to 66/2014** F_Time increase factor / EEL_Energy Efficiency Index / Qbep_Measured air flow rate at best efficiency point / Pbep_Measured air pressure at best efficiency point / Qboost_Maximum air flow / Wbep_Measured electric power input at best efficiency point / WL_Nominal power of the lighting system / Emiddle_Average illumination of the lighting system on the cooking surface / Lwa-SPEmax_Sound pressure level at the highest speed.