

## VIRGOLA NO-DROP TOUCH

### Version

Built-in - Stainless steel - 90 cm - 800 m<sup>3</sup>/h

### Collection

Design

### EAN code

8034122365510



The photograph is purely for information  
It may not correspond to the selected version.

## FEATURES

**Glass panel**  
**Touch control + 24 h function**  
**Optional combined regenerable Carbon.Zeo filter**  
**Optional Chimney**  
**Optional glass shelf**  
**Dynamic LED Light (2700K - 5600K)**  
**No-Drop patented anti-condensation system**  
**Emptied liquid collector**  
**Anti-condensation no-drop filter in technopolymer**

## OPTIONAL ACCESSORIES

### KACL.107

Glass shelf 90 cm

### KACL.961

Charcoal and Zeolite filter

### KCVJN.00#3

Telescopic chimney h 185 + h 185

### KCVJN.01#3

Kit Chimney Virgola-Move H120

Stainless Steel

## TECHNICAL FEATURES

### Installation type

Built-in

### Dimensions

90 cm

### Finishing

Scotch brite stainless steel

### Motor

800 m<sup>3</sup>/h

### Type of control

Touch control

### Speed settings

4

### Lighting

Strip Led 5,8 W - 2700 K / 5600

K

### Minimum distance

Gas hob: 52 cm

Electric hob: 52 cm

## PACKAGING:WEIGHTS AND VOLUMES

### Gross weight

17.7 kg

### Net weight

13.9 kg

### Volumes

0.19 m<sup>3</sup>

### Packaging size

Length

995 mm

Height

410 mm

Depth

465 mm

## CONSUMPTION AND CONNECTION FEATURES

### Maximum consumption

280 W

### Voltage

220-240V

### Frequency

50-60Hz

## MOTOR TECHNICAL SHEET

### Maximum capacity

661 m<sup>3</sup>/h

I.E.C. 61591

### Maximum noise level

71 dB(A)re1pW

I.E.C.60704-2-13

### Maximum pressure (Pa)




480 Pa

### Max. motor power

215 W

## ENERGY CLASS

A



Glass optional shelf

## VIRGOLA NO-DROP TOUCH

### Version

Built-in - Stainless steel - 90  
cm - 800 m3/h

### Collection

Design

### EAN code

8034122365510

## MOTOR TECHNICAL SHEET

Motor speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	51	62	67	71
Capacity (m3/h) I.E.C.61591	300	420	570	661
Maximum pressure (Pa)	400	440	470	480
Motor Power (W)	150	180	200	215
Air outlet	150	150	150	150

## VIRGOLA NO-DROP TOUCH

### Version

Built-in - Stainless steel - 90 cm - 800 m3/h


### Collection

Design

### EAN code

8034122365510

## ENERGY LABEL



PF		
S	Falmec Spa	
M	Built-in - Stainless steel - 90 cm - 800 m3/h	
AEC	46,9	kWh/a
EEC	A	
FDE	29,8	
FDEC	A	
LE	21,2	
LEC	B	
GFE	70,0	
GFEC	D	
Qmin	300,0	m <sup>3</sup> /h
Qmax	570,0	m <sup>3</sup> /h
Qboost	661,0	m <sup>3</sup> /h
SPEmin	51	dBa
SPEmax	67	dBa
SPEboost	71	dBa
PO	-	W
PS	0,28	W
PI		
F	0.9	
EEL	52,1	
Qbep	389,0	m <sup>3</sup> /h
Pbep	359	Pa
Qboost	661,0	m <sup>3</sup> /h
Wbep	130,0	W
WL	5,80	W
Emiddle	123	lex
Lwa-SPEmax	67	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEL\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point / Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximum air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax\_Sound pressure level at the highest speed.