

## ZERO

### Version

Zero - 84 cm - 600 m<sup>3</sup>/h -  
Extracting version

### Designer

### Collection

Cooking systems

### EAN code

8034122900933

## FEATURES

**Optional combined regenerable Carbon.Zeo filter**  
**Residual heat indicators**  
**Recall function: restore settings cooktop in case of accidental switching off**  
**Keep warm function**  
**Slider touch controls with red LED display**  
**9 cooking levels + Power function (Over Boost)**  
**Pot detector sensor**  
**Automatic cut-off timer (for each cooking zone)**  
**Timer / minute minder**  
**Safety switch-off / safety lock function**  
**Pause function**  
**Brushless Motor**  
**Carbon.Zeo filter maintenance warning**  
**Auto mode (suction speed automatically adjusts to cooking power)**  
**Bridge function**  
**Emptied liquid collector**  
**Power level management from 2.8kW to 7.4kW - Increment of 0.2kW**

## TECHNICAL FEATURES

**Installation type**  
Worktop  
**Dimensions**  
84 cm  
**Finishing**  
Schott black glass  
**Motor**  
600 m<sup>3</sup>/h  
**Type of control**  
Touch control  
**Speed settings**  
9



*The photograph is purely for information  
It may not correspond to the selected version.*

## PACKAGING:WEIGHTS AND VOLUMES

**Gross weight**  
34 kg  
**Net weight**  
27.9 kg  
**Volumes**  
0.24 m<sup>3</sup>  
**Packaging size**  
Length  
1055 mm  
Height  
375 mm  
Depth  
610 mm

## CONSUMPTION AND CONNECTION FEATURES

**Maximum consumption**  
7560 W  
**Voltage**  
220-240V  
**Frequency**  
50-60Hz  
**ENERGY CLASS**  
A+

## OPTIONAL ACCESSORIES

### KACL.1017

Grill plate 410X240X25

### KACL.155#NF

Kit: Quantum Black frame

### KACL.930

Kit filters Carbon.Zeo

### KACL.951

Underbase Slim filter unit  
(h60mm)

### KACL.955

Base grid (underbase Slim filter  
unit - h60mm)

## ZERO

### Version

Zero - 84 cm - 600 m3/h -  
Extracting version


### Designer

### Collection

Cooking systems

### EAN code

8034122900933



## ZERO

### Version

Zero - 84 cm - 600 m3/h -  
Extracting version

### Designer


### Collection

Cooking systems

### EAN code

8034122900933

## ENERGY LABEL



PF		
S	Falmec Spa	
M	Zero - 84 cm - 600 m3/h - Extracting version	
AEC	41,4	kWh/a
EEC	A+	
FDE	34,8	
FDEC	A	
LE	0,0	
LEC		
GFE	87,0	
GFEC	B	
Qmin	380,0	m <sup>3</sup> /h
Qmax	495,0	m <sup>3</sup> /h
Qboost	515,0	m <sup>3</sup> /h
SPEmin	52	dBa
SPEmax	59	dBa
SPEboost	60	dBa
PO	-	W
PS	0,48	W
PI		
F	0.8	
EEL	39,7	
Qbep	305,0	m <sup>3</sup> /h
Pbep	665	Pa
Qboost	515,0	m <sup>3</sup> /h
Wbep	162,0	W
WL	0,00	W
Emiddle	0	lux
Lwa-SPEmax	59	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEI\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point / Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximum air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa-SPEmax\_Sound pressure level at the highest speed.