

ZENITH NRS

Version

Collection

Silence - NRS

EAN code

8034122354866



*The photograph is purely for information
It may not correspond to the selected version.*

FEATURES

Scotch brite stainless steel (AISI 304)
NRS technology for a quieter kitchen
Electronic control
Metallic grease filter, removable and washable
Combined Carbon.Zeo filter, regenerable
Optional remote control
Central stripe made in brilliant steel
Tempered glass shelf
Diffuse illumination

OPTIONAL ACCESSORIES

KACL.127
90 cm
KACL.128
Glass kit 120 cm
KACL.129
Glass kit 180 cm
KACL.400
Silent / Conveyor NRS
KACL.815
Protective cleaning cloths for stainless steel (box 10 pcs)
KACL.961
Charcoal and Zeolite filter
101078898
High Performance Filter
105080053
Remote control

TECHNICAL FEATURES

Installation type
Island
Dimensions
90 cm
Finishing
Scotch brite stainless steel (AISI 304)
Tempered glass
Motor
800 m³/h
Type of control
Electronic control
Speed settings
4
Filter
Metallic filter - Zenith Island
Charcoal filter
Charcoal and Zeolite filter (optional)
Minimum distance
Gas hob: 60 cm
Electric hob: 52 cm

PACKAGING:WEIGHTS AND VOLUMES

ZENITH NRS Gross weight

38 kg

Net weight

32 kg

Volumes

0.42 m³

Packaging size

Length

1070 mm

Height

450 mm

Depth

870 mm

GLASS KIT 90 cm Gross weight

27 kg

Net weight

18 kg

Volumes

0.12 m³

Packaging size

Length

970 mm

Height

180 mm

Depth

670 mm

CONSUMPTION AND CONNECTION FEATURES

Voltage

220-240V

Frequency

50-60Hz

Plug type

Shuko

MOTOR TECHNICAL SHEET

Maximum capacity

610 m³/h

I.E.C. 61591

Maximum noise level

54,5 dB(A)re1pW

I.E.C.60704-2-13

Maximum pressure (Pa)


510 Pa

Max. motor power

224 W

ENERGY CLASS

C



ZENITH NRS

Version

Collection

Silence - NRS


EAN code

8034122354866

MOTOR TECHNICAL SHEET

| Motor speed | 1 | 2 | 3 | 4 |
|--|-----|-----|-----|------|
| Noise level dB(A)re1pW-I.E.C.60704-2-13 | 37 | 41 | 46 | 54,5 |
| Capacity (m3/h) I.E.C.61591 | 220 | 290 | 375 | 610 |
| Maximum pressure (Pa) | 390 | 440 | 490 | 510 |
| Motor Power (W) | 130 | 150 | 178 | 224 |
| Air outlet | 150 | 150 | 150 | 150 |

CAPACITY / PRESSURE



ZENITH NRS

Version


Collection

Silence - NRS

EAN code

8034122354866

ENERGY LABEL



| PF | | |
|------------|------------|-------------------|
| S | Falmec Spa | |
| M | | |
| AEC | 103,3 | kWh/a |
| EEC | C | |
| FDE | 28,9 | |
| FDEC | A | |
| LE | 6,8 | |
| LEC | F | |
| GFE | 76,0 | |
| GFEC | C | |
| Qmin | 220,0 | m ³ /h |
| Qmax | 375,0 | m ³ /h |
| Qboost | 610,0 | m ³ /h |
| SPEmin | 37 | dBa |
| SPEmax | 46 | dBa |
| SPEboost | 55 | dBa |
| PO | - | W |
| PS | 0,48 | W |
| PI | | |
| F | 1 | |
| EEl | 80,0 | |
| Qbep | 369,0 | m ³ /h |
| Pbep | 369 | Pa |
| Qboost | 610,0 | m ³ /h |
| Wbep | 131,0 | W |
| WL | 76,00 | W |
| Emiddle | 519 | lux |
| Lwa-SPEmax | 46 | dBa |

PF_Product fiche according to 65/2014 S_Supplier name / M_Model identification / AEC_Annual Energy Consumption (AEC hood) / EEC_Energy Efficiency class / FDE_Fluid Dynamic Efficiency (FDE hood) / FDEC_Fluid Dynamic Efficiency class / LE_Lighting Efficiency (LE hood) / LEC_Lighting Efficiency class / GFE_Grease Filtering Efficiency / GFEC_Grease Filtering Efficiency class / Qmin_Air flow (in m³/h) at min speed in normal use / Qmax_Air flow (in m³/h) at max speed in normal use / Qboost_Air flow (in m³/h) at intensive or boost setting (max air-flow) / SPEmin_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO_Power consumption in off mode (Po) / Ps_Power consumption in stand by mode (Ps). **PI_Additional information according to 66/2014** F_Time increase factor / EEl_Energy Efficiency Index / Qbep_Measured air flow rate at best efficiency point / Pbep_Measured air pressure at best efficiency point / Qboost_Maximum air flow / Wbep_Measured electric power input at best efficiency point / WL_Nominal power of the lighting system / Emiddle_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax_Sound pressure level at the highest speed.