



DIMENSION	MEASURE	DIMENSION	MEASURE
<b>APPLIANCE</b>		<b>WITH CABINET</b>	
Product width	577 mm	Indicates whether a ventilation opening in the back side of cabinet is needed or not with oven. Default is "Y"	No
Product depth	507 mm	Indicates the position of the opening in the back side of the cabinet with oven	N/A
Radius of product corner	3 mm	MIN Width of rear opening required with oven	0 mm
Product height (MAX protrusion from the worktop)	2 mm	MIN Depth of rear opening required with oven.	0 mm
Underneath the bearing area of the appliance	47 mm	MIN AREA of rear opening required with oven	0 cm <sup>2</sup>
Distance between cut out and top frontal projection	8.5 mm	MIN distance from cabinet to rear wall, with oven	0 mm
Distance between cut out and top lateral projection	8.5 mm	Indicates whether a ventilation opening in the top front side of cabinet is needed or not with oven. Default is "N"	No
Plateau thickness	2 mm	MIN Frontal gap required, with oven (2)	0 mm
Gas outlet positioning	N/A	MIN frontal opening area required with oven	0 cm <sup>2</sup>
Gas outlet X positioning	0 mm		
Gas outlet Y positioning	0 mm		
Power cable	N/A		
Power cable positioning	Rear		
<b>CUT OUT</b>			
MIN front distance from cut-out to end worktop	0 mm	Indicates whether a protection tray against heat or contact is needed. Default is "Y"	Yes
MIN rear distance from cut out to wall/furniture	70 mm	MIN distance from bottom line of appliance to protection tray	20 mm
MIN lateral distance from cut out to wall/furniture	100 mm	Indicates whether a ventilation opening in the tray is needed or not with cabinet	No
MIN height from worktop to above furniture	400 mm	Recess dimension X	0 mm
MIN cut out width	560 mm	Recess dimension Y	0 mm
MAX cut out width	562 mm	Positioning dimension X by axis	0 mm
MIN cut out depth	490 mm	Distance of the tray from the back panel/wall	0 mm
MAX cut out depth	492 mm	Indicates whether a divider is available	N/A
MIN cut out radius	6.5 mm	Indicates whether a ventilation opening in the back side of cabinet is needed or not. Default is "Y"	No
MAX cut out radius	8 mm	Indicates the position of the opening in the back side of the cabinet.	N/A
<b>FLUSH INSTALLATION</b>		MIN Width of rear opening of the cabinet	0 mm
Indicates whether a flush installation is possible. Default is "N"	No	MIN Depth of rear opening of the cabinet	0 mm
MIN Milling rabbet width	0 mm	MIN AREA of rear opening of the cabinet	0 cm <sup>2</sup>
MAX Milling rabbet width	0 mm	MIN distance from cabinet to rear wall	0 mm
MIN Milling rabbet depth	0 mm	Indicates whether a ventilation opening in the top front side of cabinet is needed or not. Default is "N"	No
MAX Milling rabbet depth	0 mm	MIN Frontal gap of the cabinet	0 mm
Milling rabbet thickness	0 mm	MIN frontal opening area of the cabinet	0 cm <sup>2</sup>
Radius milling rabbet	0 mm		
Flush installation KIT (2)	N/A	<b>INSTALLATION SPACE</b>	
Indicates the minum worktop thickness with standard installation for gas	0 mm	Depth of immersion underneath the appliance	0 mm
Indicates the maximum worktop thickness with standard installation for gas	0 mm	Width protruding area below bottom box	0 mm
Indicates the minum worktop thickness with flush installation for gas	0 mm	Depth protruding area below bottom box	0 mm
Indicates the maximum worktop thickness with flush installation for gas	0 mm	Protruding area: X positioning	0 mm
		Protruding area: Y positioning	0 mm
<b>WITH OVEN</b>		<b>ACCESSORIES FOR INSTALLATION</b>	
Indicates whether the cooktop can be installed above oven. Default is "Y"	Yes	Gasket	Pre assembled
MIN worktop thickness with oven	20 mm	Clips	Separate KIT
MAX worktop thickness with oven	50 mm		
Indicates whether a protection tray against heat or contact is needed with oven. Default is "N"	No		

**DIMENSION****MEASURE**

Injector KIT	N/A	
Elbow KIT	N/A	
<b>COOKTOP HOOD INSTALLATION ONLY FOR GAS</b>		
MIN distance from cooktop to above furniture	0	mm
MIN distance between cabinets above the cooktop	0	mm
MAX distance between cabinets above the cooktop	0	mm