

PLANE PLUS NRS

Version

Plus - Island - 90 cm - Black -
800 m³/h

Designer

Collection

Silence - NRS

EAN code

8034122367330

FEATURES

NRS technology for a quieter kitchen
Perimeter suction
Electronic control
Metallic grease filter, removable and washable
Remote control (optional)
Dimmable lighting
Dynamic Light (2700K - 5600K)
Dialogue system with auto mode
Carbon.Zeo Microtech filter (optional)

Availability Carbon.Zeo filter
KACL.1039 for hoods produced
from Sept. 2024

OPTIONAL ACCESSORIES

105080053

Remote control

KACL.1039

Carbon.Zeo Microtech filter

KACL.400

Silent / Conveyer NRS

KACL.572#N

Extension H1200 Island - Black

TECHNICAL FEATURES

Installation type
Island
Dimensions
90 cm
Finishing
Painted black steel
Motor
800 m³/h
Type of control
Electronic control
Speed
3 + boost
Lighting
Strip Led - 2700 K / 5600 K
Minimum distance
Gas hob: 60 cm
Electric hob: 52 cm




Photograph is for information purposes only
It may not correspond to the selected version.

PACKAGING:WEIGHTS AND VOLUMES

Gross weight
49 kg
Net weight
42 kg
Volumes
0.62 m³
Packaging size
Length
1070 mm
Height
670 mm
Depth
870 mm

CONSUMPTION AND CONNECTION FEATURES

Maximum consumption
280 W
Voltage
220-240V
Frequency
50-60Hz
ENERGY CLASS
A



PLANE PLUS NRS

Version

Plus - Island - 90 cm - Black -
800 m³/h

Designer


Collection

Silence - NRS

EAN code

8034122367330

ENERGY LABEL



PF		
S	Falmec Spa	
M	Plus - Island - 90 cm - Black - 800 m ³ /h	
AEC	47,9	kWh/a
EEC	A	
FDE	29,7	
FDEC	A	
LE	15,4	
LEC	D	
GFE	80,0	
GFEC	C	
Qmin	270,0	m ³ /h
Qmax	501,0	m ³ /h
Qboost	611,0	m ³ /h
SPEmin	38	dBa
SPEmax	50	dBa
SPEboost	57	dBa
PO	-	W
PS	0,48	W
PI		
F	0.9	
EEl	54,8	
Qbep	351,0	m ³ /h
Pbep	363	Pa
Qboost	611,0	m ³ /h
Wbep	119,0	W
WL	12,00	W
Emiddle	185	lux
Lwa-SPEmax	50	dBa

PF_Product fiche according to 65/2014 S_Supplier name / M_Model identification / AEC_Annual Energy Consumption (AEC hood) / EEC_Energy Efficiency class / FDE_Fluid Dynamic Efficiency (FDE hood) / FDEC_Fluid Dynamic Efficiency class / LE_Lighting Efficiency (LE hood) / LEC_Lighting Efficiency class / GFE_Grease Filtering Efficiency / GFEC_Grease Filtering Efficiency class / Qmin_Air flow (in m³/h) at min speed in normal use / Qmax_Air flow (in m³/h) at max speed in normal use / Qboost_Air flow (in m³/h) at intensive or boost setting (max air-flow) / SPEmin_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO_Power consumption in off mode (Po) / Ps_Power consumption in stand by mode (Ps). **PI_Additional information according to 66/2014** F_Time increase factor / EEI_Energy Efficiency Index / Qbep_Measured air flow rate at best efficiency point /

Pbep_Measured air pressure at best efficiency point / Qboost_Maximun air flow / Wbep_Measured electric power input at best efficiency point / WL_Nominal power of the lighting system / Emiddle_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax_Sound pressure level at the highest speed.